

Page : 1/10
Revised edition no : 1

Compilation date : 16 / 7 / 2018

Supersedes: 10 / 10 / 2017

# Carbon dioxide (solid)

NOAL\_0018C

Country: DK / Language: EN

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name : Carbon dioxide (solid), Dry ice

SDS no : NOAL\_0018C

Chemical description : Carbon dioxide (solid)

CAS-No.: 124-38-9 EC-No.: 204-696-9 EC Index-No.: ---

Registration-No. : Listed in Annex IV / V REACH, exempted from registration.

Chemical formula : CO2

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : Industrial and professional. Perform risk assessment prior to use.

Cooling (Food additive E290).

Blast cleaning.

Metal cooling.

Contact supplier for more information on uses.

Uses advised against : Consumer use.

#### 1.3. Details of the supplier of the safety data sheet

### Company identification

AIR LIQUIDE Denmark A/S Høje Taastrupvej 42 2630 Taastrup - DENMARK T +45 76 25 25 25

eunordic-sds@airliquide.com

E-Mail address (competent person) : eunordic-sds@airliquide.com

#### 1.4. Emergency telephone number

Emergency telephone number : 112

Availability (24 / 7)

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not regulated.

#### 2.2. Label elements



Page : 2/10
Revised edition no : 1

Compilation date : 16 / 7 / 2018

Supersedes: 10 / 10 / 2017

# Carbon dioxide (solid)

NOAL\_0018C

Country: DK / Language: EN

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements (CLP)

- Storage : P403 - Store in a well-ventilated place..

2.3. Other hazards

: None.

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

| Name                   | Product identifier    | Composition [V-%]: | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|------------------------|-----------------------|--------------------|---|
| Carbon dioxide (solid) | (CAS-No.) 124-38-9    | 100                | Not classified  |
|                        | (EC-No.) 204-696-9    |                    |   |
|                        | (EC Index-No.)        |                    |   |
|                        | (Registration-No.) *1 |                    |   |

Contains no other components or impurities which will influence the classification of the product.

- \*1: Listed in Annex IV / V REACH, exempted from registration.
- \*2: Registration deadline not expired.
- \*3: Registration not required: Substance manufactured or imported < 1t/y.

#### 3.2. Mixtures

: Not established.

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Inhalation
 Skin contact
 Adverse effects not expected from this product.
 Adverse effects not expected from this product.
 Eye contact
 Adverse effects not expected from this product.

- Ingestion : Get immediate medical attention.

## 4.2. Most important symptoms and effects, both acute and delayed

: Low concentrations of CO2 cause increased respiration and headache.

Refer to section 11.

#### 4.3. Indication of any immediate medical attention and special treatment needed

: None.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media



Page : 3/10

Revised edition no : 1

Compilation date : 16 / 7 / 2018

Supersedes: 10 / 10 / 2017

# Carbon dioxide (solid)

NOAL\_0018C

Country: DK / Language: EN

- Suitable extinguishing media : Water spray or fog.

- Unsuitable extinguishing media : Do not use water jet to extinguish.

#### 5.2. Special hazards arising from the substance or mixture

Specific hazards : Exposure to fire may cause containers to rupture/explode.

Hazardous combustion products : None.

5.3. Advice for firefighters

Specific methods : Use fire control measures appropriate for the surrounding fire. Exposure to fire and heat

radiation may cause gas receptacles to rupture. Cool endangered receptacles with water spray jet from a protected position. Prevent water used in emergency cases from entering sewers and

drainage systems.

If possible, stop flow of product.

Use water spray or fog to knock down fire fumes if possible.

Move containers away from the fire area if this can be done without risk.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

: Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.

Act in accordance with local emergency plan.

Stay upwind.

#### 6.2. Environmental precautions

No additional information available

#### 6.3. Methods and material for containment and cleaning up

: Ventilate area.

### 6.4. Reference to other sections

: See also sections 8 and 13.

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Safe use of the product : The product must be handled in accordance with good industrial hygiene and safety

procedures.

Only experienced and properly instructed persons should handle gases under pressure.

Consider pressure relief device(s) in gas installations.

Ensure the complete gas system was (or is regularily) checked for leaks before use.

Do not smoke while handling product.

Use only properly specified equipment which is suitable for this product, its supply pressure and

temperature. Contact your gas supplier if in doubt.

Avoid suck back of water, acid and alkalis.

Do not breathe gas.



Page: 4/10

Revised edition no: 1

Compilation date: 16 / 7 / 2018

Supersedes: 10 / 10 / 2017

# Carbon dioxide (solid)

NOAL\_0018C

Country: DK / Language: EN

Avoid release of product into atmosphere.

Safe handling of the gas receptacle

: Refer to supplier's container handling instructions.

Do not allow backfeed into the container.

Protect cylinders from physical damage; do not drag, roll, slide or drop.

When moving cylinders, even for short distances, use a cart (trolley, hand truck, etc.) designed to transport cylinders.

Leave valve protection caps in place until the container has been secured against either a wall or bench or placed in a container stand and is ready for use.

If user experiences any difficulty operating cylinder valve discontinue use and contact supplier.

Never attempt to repair or modify container valves or safety relief devices.

Damaged valves should be reported immediately to the supplier.

Keep container valve outlets clean and free from contaminants particularly oil and water.

Replace valve outlet caps or plugs and container caps where supplied as soon as container is disconnected from equipment.

Close container valve after each use and when empty, even if still connected to equipment.

Never attempt to transfer gases from one cylinder/container to another.

Never use direct flame or electrical heating devices to raise the pressure of a container.

Do not remove or deface labels provided by the supplier for the identification of the cylinder contents.

Suck back of water into the container must be prevented.

Open valve slowly to avoid pressure shock.

#### 7.2. Conditions for safe storage, including any incompatibilities

: Observe all regulations and local requirements regarding storage of containers.

Containers should not be stored in conditions likely to encourage corrosion.

Container valve guards or caps should be in place.

Containers should be stored in the vertical position and properly secured to prevent them from falling over.

Stored containers should be periodically checked for general condition and leakage.

Keep container below 50°C in a well ventilated place.

Store containers in location free from fire risk and away from sources of heat and ignition.

Keep away from combustible materials.

# 7.3. Specific end use(s)

: None.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

| Carbon dioxide (solid) (124-38-9)  |                            |   |  |
|------------------------------------|----------------------------|---|--|
| OEL : Occupational Exposure Limits |                            |   |  |
| EU                                 | TWA IOELV (EU) 8 h [mg/m³] | 9000 mg/m³                                    |  |
|                                    | TWA IOELV (EU) 8 h [ppm]   | 5000 ppm                                      |  |
| Denmark                            | TWA (DK) OEL 8h [mg/m³]    | 9000 mg/m³                                    |  |
|                                    | TWA (DK) OEL 8h [ppm]      | 5000 ppm                                      |  |
|                                    | Anmærkninger (DK)          | E (betyder, at stoffet har en EF-grænseværdi) |  |

DNEL (Derived-No Effect Level): No data available.

PNEC (Predicted No-Effect Concentration): No data available.



Page : 5/10
Revised edition no : 1

Compilation date : 16 / 7 / 2018

Supersedes: 10 / 10 / 2017

# Carbon dioxide (solid)

NOAL\_0018C

Country: DK / Language: EN

8.2. Exposure controls

8.2.1. Appropriate engineering controls

: Systems under pressure should be regularily checked for leakages.

Ensure exposure is below occupational exposure limits (where available). Consider the use of a work permit system e.g. for maintenance activities.

CO2 detectors should be used when CO2 may be released.

8.2.2. Individual protection measures, e.g. personal protective equipment

: A risk assessment should be conducted and documented in each work area to assess the risks

related to the use of the product and to select the PPE that matches the relevant risk. The

following recommendations should be considered:

PPE compliant to the recommended EN/ISO standards should be selected.

Eye/face protection : Wear safety glasses with side shields.

Standard EN 166 - Personal eye-protection - specifications.

Skin protection

- Hand protection : Wear working gloves when handling gas containers.

Standard EN 388 - Protective gloves against mechanical risk.

Wear leather safety gloves.

- Other : Wear safety shoes while handling containers.

Standard EN ISO 20345 - Personal protective equipment - Safety footwear.

Respiratory protection
 Gas filters may be used if all surrounding conditions e.g. type and concentration of the

contaminant(s) and duration of use are known.

Use gas filters with full face mask, where exposure limits may be exceeded for a short-term

period, e.g. connecting or disconnecting containers. Gas filters do not protect against oxygen deficiency.

Standard EN 14387 - Gas filter(s), combined filter(s) and full face mask - EN 136.

• Thermal hazards : None in addition to the above sections.

8.2.3. Environmental exposure controls

: Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for

specific methods for waste gas treatment.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Appearance

Physical state at 20°C / 101.3kPa : Gas.

Physical state : Refrigerated solidified gas.

• Colour : White.

Odour : No odour warning properties.

Odour threshold : Odour threshold is subjective and inadequate to warn of overexposure.

pH value : Not applicable for gases and gas mixtures.

Molar mass : 44 g/mol

Melting point : 78.5 °C At atmospheric pressure dry ice sublimes into gaseous carbon dioxide.

Boiling point : 56.6 °C

Flash point : Not applicable for gases and gas mixtures.

Critical temperature [°C] : 30 °C

Evaporation rate (ether=1) : Not applicable for gases and gas mixtures.

Flammability range : Non flammable.



Page : 6/10

Revised edition no : 1

Compilation date : 16 / 7 / 2018

Supersedes: 10 / 10 / 2017

Country: DK / Language: EN

# Carbon dioxide (solid)

NOAL\_0018C

Vapour pressure [20°C] : 57.3 bar(a)
Vapour pressure [50°C] : Not applicable.

Relative density, gas (air=1) : 1.52
Relative density, liquid (water=1) : 1.03

Solubility in water : 2000 mg/l Completely soluble.

Partition coefficient n-octanol/water [log Kow] : 0.83

Auto-ignition temperature : Non flammable.

Decomposition point [°C] : Not applicable.

Viscosity [20°C] : No reliable data available.

Explosive Properties : Not applicable.

Oxidising Properties : Not applicable.

9.2. Other information

Other data : Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below

ground level.

# **SECTION 10: Stability and reactivity**

10.1. Reactivity

: No reactivity hazard other than the effects described in sub-sections below.

10.2. Chemical stability

: Stable under normal conditions.

10.3. Possibility of hazardous reactions

: None.

10.4. Conditions to avoid

: Avoid moisture in installation systems.

10.5. Incompatible materials

: None.

For additional information on compatibility refer to ISO 11114.

10.6. Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity

: Unlike simple asphyxiants, carbon dioxide has the ability to cause death even when normal oxygen levels (20-21%) are maintained. 5% CO2 has been found to act synergistically to increase the toxicity of certain other gases (CO, NO2). CO2 has been shown to enhance the production of carboxy- or met-hemoglobin by these gases possibly due to carbon dioxide's stimulatory effects on the respiratory and circulatory systems.

For more information, see 'EIGA Safety Info 24: Carbon Dioxide, Physiological Hazards' at

www.eiga.eu.

 Skin corrosion/irritation
 : No known effects from this product.

 Serious eye damage/irritation
 : No known effects from this product.

 Respiratory or skin sensitisation
 : No known effects from this product.

 Germ cell mutagenicity
 : No known effects from this product.

 Carcinogenicity
 : No known effects from this product.

 Reproductive toxicity
 : No known effects from this product.

No known effects from this product.



Page: 7/10 Revised edition no : 1 Compilation date: 16 / 7 / 2018 Supersedes: 10 / 10 / 2017

NOAL 0018C

Country: DK / Language: EN

# Carbon dioxide (solid)

STOT-single exposure : No known effects from this product. STOT-repeated exposure : No known effects from this product.

Aspiration hazard : Not applicable for gases and gas mixtures.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Assessment : No ecological damage caused by this product.

EC50 48h - Daphnia magna [mg/l] : No data available. EC50 72h - Algae [mg/l] : No data available. LC50 96 h - Fish [mg/l] : No data available.

#### 12.2. Persistence and degradability

Assessment : No ecological damage caused by this product.

#### 12.3. Bioaccumulative potential

Assessment : No ecological damage caused by this product.

#### 12.4. Mobility in soil

Assessment : Because of its high volatility, the product is unlikely to cause ground or water pollution.

Partition into soil is unlikely.

### 12.5. Results of PBT and vPvB assessment

Assessment : No data available.

Not classified as PBT or vPvB.

#### 12.6. Other adverse effects

Other adverse effects : No known effects from this product.

Effect on the ozone layer : None. Global warming potential [CO2=1]

Effect on global warming : Contains greenhouse gas(es).

When discharged in large quantities may contribute to the greenhouse effect.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Contact supplier if guidance is required.

Discharge to atmosphere in large quantities should be avoided.

Do not discharge into any place where its accumulation could be dangerous.

Ensure that the emission levels from local regulations or operating permits are not exceeded.

Refer to the EIGA code of practice Doc.30 "Disposal of Gases", downloadable at

http://www.eiga.org for more guidance on suitable disposal methods.



Page: 8/10
Revised edition no: 1
Compilation date: 16 / 7 / 2018
Supersedes: 10 / 10 / 2017

# Carbon dioxide (solid)

NOAL\_0018C

Country: DK / Language: EN

Return unused product in original cylinder to supplier.

List of hazardous waste codes (from Commission Decision 2001/118/EC)

: 16 05 05 : Gases in pressure containers other than those mentioned in 16 05 04.

13.2. Additional information

: External treatment and disposal of waste should comply with applicable local and/or national regulations.

# **SECTION 14: Transport information**

#### 14.1. UN number

UN-No. : 1845

14.2. UN proper shipping name

Transport by road/rail (ADR/RID) : Carbon dioxide, solid (Dry ice)

Transport by air (ICAO-TI / IATA-DGR) : Carbon dioxide, solid

Transport by sea (IMDG) : CARBON DIOXIDE, SOLID (DRY ICE)

14.3. Transport hazard class(es)

Transport by road/rail (ADR/RID)

Class : 9. Classification code : M11.

Transport by air (ICAO-TI / IATA-DGR)

Class / Div. (Sub. risk(s)) : 9

Transport by sea (IMDG)

Class / Div. (Sub. risk(s)) : 9
Emergency Schedule (EmS) - Fire : F-C.
Emergency Schedule (EmS) - Spillage : S-V.

14.4. Packing group

Transport by road/rail (ADR/RID) : Not established.

Transport by air (ICAO-TI / IATA-DGR) : Not established.

Transport by sea (IMDG) : Not established.

14.5. Environmental hazards

Transport by road/rail (ADR/RID) : None.

Transport by air (ICAO-TI / IATA-DGR) : None.

Transport by sea (IMDG) : None.

#### 14.6. Special precautions for user

### Packing Instruction(s)

Transport by air (ICAO-TI / IATA-DGR)

Passenger and Cargo Aircraft : 954.
Cargo Aircraft only : 954.



Page: 9/10 Revised edition no: 1 Compilation date: 16 / 7 / 2018

Supersedes: 10 / 10 / 2017

Country: DK / Language: EN

NOAL 0018C

# Carbon dioxide (solid)

Transport by sea (IMDG) : P003.

Special transport precautions : Avoid transport on vehicles where the load space is not separated from the driver's

compartment.

Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the

event of an accident or an emergency. Before transporting product containers: - Ensure there is adequate ventilation.

- Ensure that containers are firmly secured.

- Ensure cylinder valve is closed and not leaking.

- Ensure valve outlet cap nut or plug (where provided) is correctly fitted.

- Ensure valve protection device (where provided) is correctly fitted.

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

: Not applicable.

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU-Regulations**

Restrictions on use : None. Seveso Directive: 2012/18/EU (Seveso III) : Not covered.

National regulations

National legislation : Ensure all national/local regulations are observed.

#### Denmark

Recommendations Danish Regulation Pregnant/breastfeeding women working with the product must not be in direct contact with the

product

## 15.2. Chemical safety assessment

A CSA does not need to be carried out for this product.

# **SECTION 16: Other information**

Indication of changes Revised safety data sheet in accordance with commission regulation (EU) No 453/2010.

Abbreviations and acronyms : ATE - Acute Toxicity Estimate

CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC)

No 1907/2006

EINECS - European Inventory of Existing Commercial Chemical Substances

CAS# - Chemical Abstract Service number PPE - Personal Protection Equipment

LC50 - Lethal Concentration to 50 % of a test population

RMM - Risk Management Measures

PBT - Persistent, Bioaccumulative and Toxic vPvB - Very Persistent and Very Bioaccumulative



Page: 10/10

Revised edition no: 1

Compilation date: 16 / 7 / 2018

Supersedes: 10 / 10 / 2017

# Carbon dioxide (solid)

NOAL\_0018C

Country: DK / Language: EN

STOT- SE: Specific Target Organ Toxicity - Single Exposure

CSA - Chemical Safety Assessment

EN - European Standard

**UN - United Nations** 

ADR - European Agreement concerning the International Carriage of Dangerous Goods by

Road

IATA - International Air Transport Association

IMDG code - International Maritime Dangerous Goods

RID - Regulations concerning the International Carriage of Dangerous Goods by Rail

WGK - Water Hazard Class

Training advice : None.

DISCLAIMER OF LIABILITY

: Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out.

Details given in this document are believed to be correct at the time of going to press.

Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulting from its use can be accepted.